



# Wig Stands using MDF (medium-density fiberboard)

Larry Sefton

6/2022

# Wig/Hat Stand Design

- I personally disagree with most of the designs on woodturning websites regarding wig stands.
- For the most part the center of gravity is too high because of the small base size and weight.
- Due to the smaller base and top it does not also work as a hat stand.
- In my opinion the design should be more like the vintage hat and wig stand designs.





Up to 6% See all eligible items and terms ▶



## 2pieces Dome Shaped Hat Holder Rack Display Stand Wig Storage Vintage Style

Condition: **New**

Sale ends in: 04d 00h 41m

Quantity:  3 available

Price: **US \$84.27**  
~~US \$89.65~~ ⓘ Save 6%

Buy It Now

Add to cart

♥ Add to Watchlist

30-day returns

Shipping: **FREE** SpeedPAK Standard | [See details](#)

International shipment of items may be subject to customs processing and additional charges. ⓘ

Located in: Shenzhen, China


Delivery: **Estimated between Thu, Jun 30 and Fri, Jul 8 to 38135** ⓘ

Please allow additional time if international delivery is subject to customs processing.



**Wig Stand**

**older looks like a work of art**



## Owlgift Vintage Style Metal & Rustic Wood Stem Freestanding Hat Rack Storage, Cap Organizer, Wig Holder Display Stand - Bronze

[Visit the Owlgift Store](#)

★★★★☆ 152 ratings


\$24<sup>99</sup>

✓prime

& FREE Returns

Get a **\$8 credit** when you purchase a **\$40 or more** digital Amazon Gift Card (Restrictions apply).

Color: **Bronze**





## Owlgift Vintage Style Dome Shape Removable Metal Hat Rack, Cap, Wig Storage Holder Display Stand, Black (2pcs)

[Visit the Owlgift Store](#)

★★★★☆ 241 ratings

**Save 11%**

Lowest price in 30 days

Was: ~~\$35.99~~ [Details](#)

Price: **\$31.99** ✓prime & FREE Returns

You Save: **\$4.00** (11%)

Get a **\$8 credit** when you purchase a **\$40 or more** digital Amazon Gift Card (Restrictions apply).

Color: **Set 2pcs Black**



\$22.99  
✓prime



\$22.99  
✓prime



**\$31.99**  
✓prime



\$32.99  
✓prime



## Owlgift Vintage Gourd Style Dome Shaped Metal Hat Rack/Cap/Wig Holder Free Standing Display Rack, Bronze

[Visit the Owlgift Store](#)

★★★★☆  135 ratings

\$21<sup>99</sup>

 prime

& FREE Returns



# Wig Stands Mid South Woodturners



## Delivery Number One Completed

Photo (at left) is of MSWG's first wig stand deliver to [West Cancer Center](#) on June 3, 2022. (Ms. Mackin and Joseph Voda\_

Ms. Mackin, "Thanks for blessing our precious cancer patients. The wig stands are absolutely beautiful."

The photo gallery at the left is of all the wig stands that were delivered.



Click on gallery to enlarge and see details.

### Completed Wig Stand(s) Tracking

First Name \*  
Larry

Last Name \*  
Sefton

How Many Completed? \*  
1

Any special comments on your wig stand:  
Materials used? Wood type?  
Brown beaded made from MDF with metal insert.

[Submit](#)

Reminder - They don't want a lot of contact between the wig and the support. Some cancer patients can go through periods of heavy sweating, especially during the summer. One of the purposes of the stand is to let the wig dry after they take it off. Most say to use a good polyurethane on the top piece just for that reason.

#### Information from other Woodturner groups:

- [Woodturning Wig Stand For Cancer Patients - YouTube - As Wood Turns](#)
- [Wig Stand directions](#)
- [Wig Stand Instructions \(Ron Cumsty, GIHWG\)](#)
- [Step by step directions](#)
- [Making A Wig Stand - CIW](#)
- [How to make a wig stand - CIW](#)

[MSWG Members - Click here to send wig stand photos to MSWG wig stand photo gallery.](#)

or send to [photos@mswg.club](mailto:photos@mswg.club)

To correct table or an error send an email to [webmaster@mswg.club](mailto:webmaster@mswg.club)

Submission Date	First Name	Last Name	How Many	Special comments	Photo	Photo
05/28/2022	Don	Chandler	1	Cedar		
05/28/2022	Don	Chandler	1	Cedar		

# I mainly use these wood types:

- Curbside find – old furniture - mainly looking for spindles and legs
- Old candle sticks
- Anything that can be repurposed
- Scrap wood from my stash
- MDF - “medium-density fiberboard”




**\$17<sup>28</sup>**

- Industrial strength spray adhesive
- Bonds laminates, kick plates, poly and plastic lettering
- Adjustable nozzle for precise spray control

What we will be  
making



Two 1-inch thick  
MDF boards  
glued together  
with contact  
cement spray.  
Ready to cut into  
circles.



A screenshot of the Interstate Plywood website homepage. The page features a dark header with the company name 'Interstate Plywood' in a white serif font. Below the name, contact information is listed: '901-948-2711 1-800-342-4728 Memphis, TN Fax: 901-774-6483'. A red navigation bar contains links for 'Home', 'About Us', 'Products', 'Partners', and 'Contact Us'. The main content area has a light wood-grain background and features a shield-shaped logo with 'INTERSTATE PLYWOOD' text. To the right of the logo, a large, bold, italicized black text block reads: 'We are one of the largest industrial lumber and plywood supplier in the Memphis market.'

Cut blank round  
and make sure  
there is a reference  
center point.



# Tailstock Faceplate Holder



# Chuck Reversing Adapter

<https://www.woodworkingshop.com/>

WOODWORKING SHOP

Search

About Contact Us Help Order Status Shipping & Returns Store Locations

### SEARCH RESULTS FOR CHUCK REVERSING ADAPTER

Sort By BEST MATCH

Items Per Page: 24 ITEMS PER PAGE

Page 1 of 1

Product Name	Price	Action
Sk#: CA87300 Chuck Reversing Adapter 1"-8 to #2 MT	\$34.99	ADD TO CART
Sk#: CA87400 Chuck Reversing Adapter 1.25"-8 #2 MT	\$34.99	ADD TO CART
Sk#: CA87500 Chuck Reversing Adapter 33MM #2 MT	\$34.99	ADD TO CART

Items Per Page: 24 ITEMS PER PAGE

Page 1 of 1


TOP

Drill a 2-1/16" dia. hole about 3/4" deep (will be used for chucking).


Then drill a 1-1/2" dia. hole leaving about 1/4" - this will be for gluing in the upright. (hole is oversize because it will be back filled with epoxy).

BASE (same setup)


Drill a 2-1/16" dia. hole about 3/4" deep (will be used for chucking).



TOP  
Expand chuck into the opening.



Note that the  
bottom surface  
rests on the  
chuck jaws.



Turn the profile of the top. Note that the live center does not have its center (point has been removed) and the live center is not touching the surface so it does not leave a mark (this is done for safety – ensures it cannot come off the chuck).

Tail stock will be removed for final finishing.

(note the vinyl glove)



MDF dust will severely dry your hands (removes oils and moisture).  
I use these protective gloves.

Visit the [GLOVEWORKS Store](#)

### GLOVEWORKS HD Orange Nitrile Disposable Gloves, 8 Mil, Latex and Powder Free, Industrial, Food Safe, Raised Diamond Texture

★★★★★ 14,400 ratings | 73 answered questions

**Amazon's Choice** in Household Cleaning Gloves by GLOVEWO...

Price: **\$20.25** (\$0.20 / Count)

Size: **Large (Pack of 100)**

Small (Pack of 100)	Small (Pack of 1000)	Small (Pack of 200)
Medium (Pack of 100)	Medium (Pack of 1000)	Medium (Pack of 200)
<b>Large (Pack of 100)</b>	Large (Pack of 1000)	Large (Pack of 200)

Using a beading tool to add beads.

Note - start beading at the glue line to help hide the seam.





## Scotch-Brite Primer Prep Scuff 07747, 4-3/4 in x 15 ft

[Visit the Cubitron Store](#)

★★★★★ 773 ratings | 5 answered questions

-11% \$26<sup>00</sup>

List Price: \$29.22

✓prime



Use a Scotch-Brite pad to cleanup (run in forward and reverse).

Or:

In this case I am using a texturing tool. The textures are limitless.

Tip – MDF will also pyrography well.








\$6<sup>48</sup>


- Designed to fill in surface imperfections
- Use on metal, wood and fiberglass surfaces
- Any-angle spray features a comfort tip for added convenience



Apply two or three coat of primer.



Use a Scotch-Brite pad to cleanup (run in forward and reverse).





Use a Scotch-Brite pad to cleanup (run in forward and reverse).

Before and After



Make your upright.

This is from a  
curbside found -  
coffee table leg.

Drill a 5/16" hole in  
the end that will  
connected to the  
bottom. Drill  
through the  
headstock and live  
center.



Drill hole roughly  
2" in depth.



Apply two coats of paint.

Here I am using General Finishes Milk Paint.



Let paint dry.

Use the back edge of a skew as a scraper and cleanup the grooves.





Let the paint dry well.

Sand and Use a Scotch-Brite pad to smooth and cleanup (run in forward and reverse).



Add finish coat of paint



Closeup of the finished painted beads - ready for assembly.



Mount base on the lathe and drill a  $5/16$ " hole in the underside's center (see next picture).



Cut a 5/16" thread rod to length. Should extend out of the base by 3/8" so a washer and nut can go on.



This is my go-to product for slow set epoxy glue and resin.





Roll over image to zoom in

## West System 105-B Epoxy Resin

Visit the West System Store

★★★★★ 322 ratings | 36 answered questions

Amazon's Choice for "west system 105 epoxy resin"

Price: \$110.78 (\$0.88 / Fl Oz) ✓prime One-Day & FREE Returns

Pay \$18.46/month for 6 months, interest-free with your Amazon Prime Rewards Visa Card

Compatible Material	Wood
Color	Clear
Brand	West System
Package Information	Can
Item Volume	98 Gallons

### About this item

- 105 EPOXY RESIN is the base material on which all WEST SYSTEM 105 System epoxy compounds are built. It is a clear, pale yellow, low-viscosity liquid epoxy resin. Blended at the correct ratio with one of 4 WEST SYSTEM hardeners, it cures to a high-strength solid that is functionally waterproof, highly resistant to moisture vapor. Based on which hardener you choose, it cures at a wide range of temperatures.
- THIS EPOXY IS EASILY MODIFIED with WEST SYSTEM Fillers, Additives, and Pigments to create the necessary handling characteristics to suit the job at hand. Whether you need to create a pigmented coating, high-strength epoxy joints, a fairing compound, or low-friction surface, WEST SYSTEM 105 Resin is modifiable to meet your project's requirements.
- COMBINED WITH WEST SYSTEM 205 Fast Hardener or 206 Slow Hardener at a 5-parts resin to 1-part hardener ratio, 105 Resin cures, developing superior physical properties at room temperature. It has excellent structural bonding properties, can be modified with fillers and additives, and will easily coat fiberglass other porous substrates.
- COMBINED WITH BLUSH-FREE 207 Extra Clear Hardener at a 3-parts resin to 1-part hardener ratio, 105 Resin is excellent for coating and fiberglass cloth applications where an exceptionally clear, moisture-resistant, natural wood finish is desired. It will not blush or turn cloudy, even in humid conditions. Thin film applications roll out and tip off smoothly, requiring less sanding in preparation for finish coatings.
- COMBINED WITH 209 Extra Slow Hardener at a 3-parts resin to 1-part hardener ratio, 105 Resin is especially well suited for general coating and structural bonding applications in extremely warm and/or humid conditions or when working time is needed at room temperature. Forms a clear, amber-colored solid with excellent physical properties and moisture-vapor resistance.

Glue (epoxy) the upright  
into the top making sure it  
is straight.

Glue a 5/16" thread rod  
into the top of the upright.



Allow the excess epoxy to back fill the hole.



Assemble with  
using a washer  
and nut.




It is not completed until the paperwork is done!

Identify yourself as the maker. At a minimum sign the bottom.

Log your stand into the MSWG tracking system and send a photo.

[Wig Stands](#)

[Mid South Woodturners](#)



**Completed Wig Stand(s) Tracking**

First Name \*  
Larry

Last Name \*  
Sefton

How Many Completed? \*  
1


Any special comments on your wig stand:  
Materials used? Wood type?  
Brown beaded made from MDF.

Submit

What we will be making next.



# DICK BLICK ART MATERIALS



Pure Metal Tooling Foil - Aluminum, Copper, and Brass foils shown partially unrolled

## Pure Metal Tooling Foil

[St. Louis Crafts](#)

★★★★★ 4.7 69 Reviews | [Write A Review](#)

**\$8.95 - \$252.70**

Make trays, plaques, planters, jewelry, and decorative pieces by embossing, tooling, repoussé, or overlay. This tooling foil cuts easily with household scissors or metal snips. The copper can be antiqued to a slate, gray finish with liver of sulphur. The sheet may have a protective coating...

[+ READ MORE](#)



## Pure Metal Tooling Foil - 12" x 10 ft, Aluminum

**\$8.95**



## Sizzix Lacey A6 Embossing Folder

★★★★★ [Be the first to write a review.](#)


~~\$13.99~~ **\$8.39**

40% off Sizzix

**Brand:** Sizzix

**SKU:** 2164960

Create bold and beautiful backgrounds using this Sizzix Lacey A6 Embossing Folder! This folder can be used with a Sizzix machine to create a three-dimensional impression on an A6-sized card. The design results in an intricate floral background with lace-like embellishments. Take your compatible die-cutting machine and build the foundation for your next masterpiece!









Must back fill the metal before using otherwise it will indent. You can use a lot of different materials to back fill. My choice (because I have it) is epoxy resin.





Double face tape I like  
to use in the next  
step.



 **GolfWorks Double Sided Grip Tape Golf Club Gripping Adhesive - 48mm x 18yd Roll**

Brand: [The Golf Works](#)  
★★★★★ 1,419 ratings

**Amazon's Choice** in Golf Club Grip Repair Kits by The Golf Works

**-13%** \$13<sup>12</sup>  
Was: \$15.00 ⓘ

✓ **prime** One-Day  
& **FREE Returns** ▾


Get a **\$8 credit** when you purchase a **\$40 or more** digital Amazon Gift Card (Restrictions apply).


Size:  
1 Pack ▾

- 100% Leather
- The industry standard tape for installing slip-on or leather grips. Sticky on both sides and activated with solvent.
- Perfect for re-gripping your clubs!
- Golfworks Authentic!

 [Report incorrect product information.](#)

Cutout a round disk.









It is not completed until the paperwork is done!

Identify yourself as the maker. At a minimum sign the bottom.

Log your stand into the MSWG tracking system and send a photo.

[Wig Stands](#)

[Mid South Woodturners](#)



**Completed Wig Stand(s) Tracking**

First Name \*  
Larry

Last Name \*  
Sefton

How Many Completed? \*  
1

Any special comments on your wig stand:  
Materials used? Wood type?  
Brown beaded made from MDF with metal insert.

Submit



# Wig Stands

# Mid South Woodturners



## Delivery Number One Completed

Photo (at left) is of MSWG's first wig stand deliver to [West Cancer Center](#) on June 3, 2022. (Ms. Mackin and Joseph Voda\_

Ms. Mackin, "Thanks for blessing our precious cancer patients. The wig stands are absolutely beautiful."

The photo gallery at the left is of all the wig stands that were delivered.



Click on gallery to enlarge and see details.

### Completed Wig Stand(s) Tracking

First Name \*  
Larry

Last Name \*  
Sefton

How Many Completed? \*  
1

Any special comments on your wig stand:  
Materials used? Wood type?  
Brown beaded made from MDF with metal insert.

[Submit](#)

Reminder - They don't want a lot of contact between the wig and the support. Some cancer patients can go through periods of heavy sweating, especially during the summer. One of the purposes of the stand is to let the wig dry after they take it off. Most say to use a good polyurethane on the top piece just for that reason.

#### Information from other Woodturner groups:

- [Woodturning Wig Stand For Cancer Patients - YouTube - As Wood Turns](#)
- [Wig Stand directions](#)
- [Wig Stand Instructions \(Ron Cumsty, GI-RWG\)](#)
- [Step by step directions](#)
- [Making A Wig Stand - CIW](#)
- [How to make a wig stand - CIW](#)

[MSWG Members - Click here to send wig stand photos to MSWG wig stand photo gallery.](#)

or send to [photos@mswg.club](mailto:photos@mswg.club)

To correct table or an error send an email to [webmaster@mswg.club](mailto:webmaster@mswg.club)

Submission Date	First Name	Last Name	How Many	Special comments	Photo	Photo
05/28/2022	Don	Chandler	1	Cedar		
05/28/2022	Don	Chandler	1	Cedar		